



PRODUCT NUMBER: 1002893

MH00 - Flexible Rope

Anchorage line - 30m

30m, twisted polyamide rope for 14mm /16mm rope grab, with counterweight and screwgate karabiner

Honeywell
MILLER

Overview

Reference Number

1002893

Product Type

Fall Protection

Range

Anchorage Points

Brand

Miller by Honeywell

Industry

- Industry
- Building and Construction

Product Use

Twisted polyamide rope suitable for 14mm / 16mm rope grabs - 30m Suitable for vertical, horizontal and sloping applications. Supplied with a counterweight and screwgate karabiner ML00

Features & Benefits

Feature

Supplied with a counterweight and screwgate karabiner Complies with EN696

Benefit

Reliable and light weight. Suitable for vertical, horizontal and sloping applications.

Technical Description

External

Rope

Ø 12 mm polyamid rope, > 2500 daN

Connectors

Galvanised steel

Standard: EN 362

Breaking strength: > 2200 daN

Dimensions

Length

30m

Diameter

14 mm

Performance

Breaking Strength

> 22 KN

Weight (kg)

4.549 kg

Operating Temperature

-30°C - 50°C

Complementary Information

Counterweigh:

Raw material:

Rubberweight : 0,500 kg

EN 353-2: Guide type fall arresters on a flexible anchorage line
Comply with the standard if used with MILLER rope grab only

Certifications

 E.C. Declaration of Conformity

EC Category PPE

3

Quality Assurance

ISO 9001 / 2000

Additional Information

User Manual

NT90004209 IND J

User Information Sheet

User manual

Packaging

EAN Code

7312559871462



E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: MH00 - Flexible Rope Anchorage line - 30m

Reference: 1002893

Standard(s): EN353.1

This PPE is the object of the below EC examination certificate n°:

Delivered by:

Drawn up in , on the 12/03/2017

By:

Division: Fall Protection

A large, stylized handwritten signature in black ink, consisting of a large loop followed by several strokes.

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com