Honeywell Protégé Extreme



Marcados y referencias:

1031270	Protégé Extreme - Mont.Negra/Naranja - Supra-Dura® antiarañazos	Incoloro
1031271	Protégé Extreme - Mont.Negra/Naranja - Dura-Streme®	Incoloro
1031272	Protégé Extreme - Mont.Negra/Naranja - Fog-Ban Plus	Blu Mist
1031273	Protégé Extreme - Mont.Negra/Naranja - Fog-Ban Plus	Ambar
1031274	Protégé Extreme - Mont.Negra/Naranja - Antiarañazos	Plateado I/E
1031275	Protégé Extreme - Mont.Negra/Naranja - Supra-Dura® antiarañazos	Gris SCT



Características

Producto

Diseno patentado de Honeywell de lentes flotantes Floating LensTM que ofrece una mayor flexibilidad para satisfacer a más usuarios.

La terminaciones acolchadas de las patillas proporcionan un contacto suave detrás de la oreja, que suele ser la zona más sensible para los usuarios de gafas.

Plaquetas nasales suaves y flexibles que minimizan el deslizamiento.

Diseño ultraligero con solo 25,30 gramos.

Opciones disponibles con revestimientos Dura-Streme®, Supra-Dura® y Fog-Ban Plus.

Una gama amplia de opciones de tinte para mejorar la claridad visual y la precisión cuando se requiere una atención especial a los detalles.

Unidades disponibles con los marcados K y N.

Conforme a la norma EN166, clase optica 1, Impacto F y T para temperaturas extremas.

EPI de categoría 2 ISO 9001 / 2000 Normas: EN 166

Número de Certificado CE: EC2410

Laboratorio:

Cantidad por bolsa:1

Cantidad por cartón: 10 unds.



Declaración de Conformidad

El fabricante o su representante legal en la Comunidad Europea: Honeywell Safety Europe

Declara que el EPI descrito aquí es conforme a la Directiva Europea 89/686/CEE:

Nombre: Protégé Norma(s) **EN166**

Estos EPI's son objeto del siguiente certificado CE nº: EC2410

Realizado por:

INSPEC 56 Leslie Hough Way Salford M6 6AJ Greater Manchester United Kingdom +44 (0)12 96 68 29 66

Firmado en Manchester el 19/11/2014

Por: K J Warren

División: Eye and Face Protection

Zl Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses BP 55288 Villepinte - 95958 ROISSY CDG CEDEX SAS au capital 17 750 000 € · Sirej 3-01-4990 7980 Tel. +331 4990 7979 - Fax 1031-4990 7980

Honeywell

E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community: Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: Protege Extreme, I/O Silver

Reference: 1031274 Standard(s): EN166

This PPE is the object of the below EC examination certificate no:

EC2410

Delivered by:

INSPEC 56 Leslie Hough Way Salford M6 6AJ Greater Manchester United Kingdom +44 (0)12 96 68 29 66

Drawn up in Manchester, on the 19/11/2014

Bv: K J Warren

Division: Eye and Face Protection

HONEYWELL SAFETY PRODUCTS EUROPE Immeutie Ecison - Zi Paris Nord II - 33 rue des Vanesses BP 65266 Villeprine - 93950 ROISSY CDG CEUEX 264 au capatal 17 749 100 4 - 1809 3-94 3 201 20137 Tel. +331 4990 7979 - Figs. 1031 4990 7980

> ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80 www.honeywellsafety.com





EC TYPE-EXAMINATION CERTIFICATE: 1789

Product description: -

Personal Protective Spectacles

Product identification: -

HONEYWELL Protégé

Manufacturer:

Sperian Eye and Face Protection Inc.

DASPEC

10 Thurber Boulevard

Smithfield RI 02917

USA

When assessed and examined against harmonised standard EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: -

Sperian Protection Europe (SAS)

ZI Paris Nord II

33 Rue des Vanesses, BP 50 288

95958 Roissy CDG cedex

France

Signed

Date: 31st March 2008

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd. 56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ England (Notified Body No: 0194)

certificate invalid if not embossed

For terms and conditions of issue, see page 2

Terms and Conditions

Reference Documents: -

i) Test Report - ICS T3029-01-1 Issue 1 & T3029-01-2 Issue 1

INSPEC 09.07.75 & 1.10.04.51

ii) Technical File - TF/1789

iii) Quality Plan - Sperian Eye & Face Protection, Inc QP EN 166

Conditions attached to the issue of this certificate:

- Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

http://inspec-international.com/ToB.pdf

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

CERTIFICATION INDEX

Item	Status	Issued	Amendment	
Certificate, Pages 1 – 4	Withdrawn	080331	Initial Issue	
Certificate, Pages 1 – 4	Withdrawn	080410	Addition of new shades	
Certificate, Pages 1 – 4	Withdrawn	080513	Addition of frame with no logo	
Certificate, Pages 1 – 4	Withdrawn	100426	New moulding method for lens	
Certificate, Pages 1 – 4	Withdrawn	100628	Addition of 'No logo' SKUs	
Certificate Pages 1 - 4	Valid	110930	Product name change to Honeywell	

CERTIFICATION SCHEDULE

Model	Lens colour and coating	Optical Class	Lens Filter	Options
1015366	Clear HC	1	2C-1.2	FT
1015364	Clear FOG-BAN	1	2C-1.2	FT
1015363	TSR Gray HC	1	5-2.5	FT
1015353	TSR Gray FOG-BAN	1	5-2.5	FT
1015710	Silver Mirror HC	1	5-3.1	FT
1015689	I/O Silver HC	1	5-1.7	FT
1016341	HDL Yellow HC	1	2-1.2	FT
1016342	HDL Yellow FOG-BAN	1	2-1.2	FT
1017748	TSR GREY HC (NO LOGO)	1	5-2.5	FT
1028102	Clear HC (NO LOGO)	1	2C-1.2	FT
1028103	Clear FOG-BAN (NO LOGO)	1	2C-1.2	FT

All lenses are polycarbonate

Key:

FT - Low energy impact at extremes of temperature

