



PRODUCT NUMBER: 6246101
BACOU CALEO S3 HI CI SRC

- Water-resistant, oiled full grain leather upper. PU2D outsole injected. SRC certified. 200J Spacium™ toe cap in injected polymer. Stainless steel anti-puncture sole. Complies with EN ISO 20345:2011 standard

Honeywell

Overview

Reference Number

6246101

Product Type

Footwear

Range

Bacou Original

Brand

Honeywell

Brand formerly known as

BACOU

Industry

- Administration
- Building and Construction
- General Industry
- Industrial Cleaning
- Logistics
- Maintenance
- Services
- Transportation
- Utilities

Product Use

- Safety shoes for professional use. Bacou Caleo with a water-resistant oiled full grain leather upper and textile panels, is both resistant and flexible, providing optimal safety and comfort.

Features & Benefits

Feature

EN ISO 20345:2011 certified. SRC certified

Benefit

Ensures better protection

Feature

Water-resistant oiled full grain leather upper

Benefit

Great resistance and flexibility

Feature

Reinforced protection at the front and back

Benefit

Improved resistance and protection

Feature

Anti-bacterial lining with 3D structure

Benefit

Ultra-breathable, quick drying

Feature

Padded ankle collar and tongue

Benefit

Adapts to the user's foot shape, ensures comfort when worn for long periods

Feature

Lateral watertight bellows

Benefit

Prevents liquid and dust from entering the shoe

Feature

Excellent foot insulation from heat (HI) and cold (CI)

Benefit

Response to diverse environments (frozen ground, very high temperatures)

Technical Description

Sizes

EU: 35 - 49 / UK: 3 - 13,5

Table Size

table_size_2749_id_2576

Midsole

Stainless steel: efficient technology covering the most extensive panel of risks. Puncture resistance: over 1100 N with a spike of 4.5 mm.

Upper

Water resistant, oiled full grain leather upper. Reinforced protection at the front and back. Padded ankle collar and tongue. Lateral watertight bellows. Anti-bacterial lining with 3D structure. Textile panels.

Toe Cap

200J SPACIUM™ toe cap in injected polymer. Non-metallic: 50% lighter than steel. Extra-wide for greater comfort: suits all foot types. Non magnetic. Thermal insulator. Unalterable.

Insole

Dual density PU foam for intensive use. Removeable for easy care. Antibacterial for a longer life span and to prevent odour. Antistatic for optimal efficiency. Comfortable heel pads. Evacuation channels.

Outsole

Dual density polyurethane: PU 2D. Comfort layer of density: 0.5 (guarantees lightness and flexibility, ensures shock absorption and protects against changes in temperature). Outsole layer of density: 1 (resistance to abrasion, fuel oil and grease). High slip resistance due to well defined cleat design, wide, deep and self-cleaning. SRC certified: SRA: on ceramic plates: flat 0,45 (minimum standard: 0,32) heel 0,46 (minimum standard: 0,28) / SRB: on steel floor: flat 0,24 (minimum standard: 0,18) heel 0,24 (minimum standard: 0,13). Energy absorption capacity > 20 joules. Excellent resistance to abrasion: volume loss < 150 mm³ (with a load of 10 N = 1 kg). Extension before tearing: 650%. Optimised resistance to repeated flexing > 60,000 (standard >30,000). Resistant to acids and alkalis: limited to low concentrations.

Additional Features

- CI
- HI
- SRC

Certifications

 E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2008

EC Certificate Number

N°0075/797/161/04/12/0262 ext 17/05/12

EC Attestation

 EC Attestation

REACH**EU Regulation 1907/2006 (REACH) Compliance**

The substance(s) listed below may be contained in this product above the threshold level of 0.1% by weight of the listed article.

Product Reference Sold in Europe	Substance > 0.1%
Substance Name	CAS Number
No Substance Content	

Additional Information**User Manual**

User Instruction EN ISO 20345 2011-Footwear-Honeywell-032012

Maintenance**Life Cycle**

- We advise that the footwear should be used in the limit of 3 years following the manufacturing date, which figures on the footwear.
- After this time limit, certain factors such as: exposure to sunlight, hydrometry, temperature changes, could cause a modification in the structure of the material, which would no longer maintain the same performance levels with regards to the requirements defined in the European Directive 89.686 CEE.

Storage Information

- Footwear should be stored in their original packaging, kept in a controlled stock area, not subject to rapid changes in temperature or humidity levels.

Care Instructions

- After use leave your footwear to dry in an aired place away from heat. Remove any excess dust or dirt with a brush. Remove any marks using a damp cloth and soap if necessary.
- Finally polish any grain or pigmented leathers using a commercially available shoe care product.



En exécution de la Directive 89/686/CEE du 21 décembre 1989 concernant le rapprochement des législations des états membres relatives aux équipements de protection individuelle et des décrets n° 92-765, 766 et 768 du 29 juillet 1992 portant transposition de cette directive en droit français,

In application of the Directive ref. 89/686/EEC of 21st December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of the 29th July 1992 concerning the transposition of the Directive into French law,

CTC

habilité par arrêté du Ministère du Travail, de l'Emploi et de la Santé du 20 décembre 2010,
authorized by decree of the Ministry of Work, Employment and Health of December 20th, 2010,

identifié sous le numéro 0075, publié au JOCE, attribue :

identified by the number 0075, published in the Official Journal of the European Community, delivers:

L'ATTESTATION D'EXAMEN CE DE TYPE

CE TYPE EXAMINATION CERTIFICATE

N°0075/797/161/04/12/0262 – EXT 17/05/12

Au modèle d'équipement de protection individuelle suivant :

to the following model of personal protective equipment:

- **chaussure de sécurité à usage professionnel,**
safety footwear for professional use,
- **référence et nom du modèle : BACOU CALEO S3 HI CI SRC – 6246101**
reference and name:
- **responsable de la mise sur le marché :**
applicant of the CE type examination certificate:

**SPERIAN PROTECTION EUROPE SAS
ZI PARIS NORD II
33 Rue des Vanesses
BP 55287 VILLEPINTE
95958 ROISSY CHARLES DE GAULLE
FRANCE**

Le modèle **BACOU CALEO S3 HI CI SRC – 6246101** est une variante raccordée au modèle **BACOU CERATA S3 HI CI SRC – 6246102**.

The safety footwear model BACOU CALEO S3 HI CI SRC – 6246101 is considered as a variant of the reference model BACOU CERATA S3 HI CI SRC – 6246102.

Les niveaux de performance et de sécurité sont identiques à ceux du modèle de raccordement, ainsi que les marquages, à l'exception du code article.

Safety levels offered are the same for both the reference model and its variant, just as the markings except the article code.

Fait à Lyon, le 03 mai 2012

Drawn up in Lyon, on May 03th, 2012

Etablie par : Nadine PIPAZ

Issued by:



NOTA : Toute modification apportée au matériel neuf, objet de la présente attestation d'examen CE doit être portée à la connaissance de l'organisme habilité en application de l'article R. 4313-38 du Code du Travail ainsi que toute modification des informations contenues dans le dossier technique sur la base duquel l'attestation CE de type a été délivrée (changement de lieu, changement de raison sociale du fabricant, retrait de certificat d'assurance qualité...).

Any modification to new items of the personal protective equipment object of this CE type examination certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work

Cette attestation comporte 2 pages numérotées 1/2 et 2/2.

This certificate contains 2 pages numbered in the following way 1/2 and 2/2.

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - E-mail : ctclyon@ctcgroupe.com
www.ctc.fr - www.ctcgroupe.com - www.ctc-services.org



▲ Attestation d'examen CE de type

CE type examination certificate

N°0075/797161/04/12/0262 – EXT 17/05/12

2/2

03/05/2012

- **Gamme de pointures : 35 au 49**

Range of sizes: 35 to 49

- **Différence avec le modèle de raccordement :**

Difference with the reference model:

- Changement de modèle : A - chaussure basse au lieu de B - brodequin

Change of design: A - low shoe instead of B - ankle boot

- **Marquages sur le produit**

Marking on the product

Chaque pied de la chaussure de sécurité est marqué sur le soufflet de manière lisible et indélébile de la façon suivante :

Each foot of the safety footwear is clearly and permanently marked with as following:

- **Marque d'identification : HONEYWELL**

logo – commercial brand

- **Marquage C €**

C € marking

- **Référence : 6246101**

reference

- **Pointure**

size

- **Mois et année de fabrication**

month and year of manufacture

- **Symboles normatifs : EN ISO 20345:2011 et S3 HI CI SRC**

standards symbols



E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: BACOU CALEO S3 HI CI SRC

Reference: 6246101

Standard(s): EN ISO 20345:2011

This PPE is the object of the below EC examination certificate n°:

N°0075/797/161/04/12/0262 ext 17/05/12

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Roissy, on the 13/02/2017

By: Ailsa Lhopital

Division: Footwear

A handwritten signature in black ink, appearing to read 'Ailsa Lhopital', is written over a horizontal line.

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com